SURECHECK®
advanced electronic security systems

Advanced Electronic Anti-Theft Systems

AM/RF Series



POWERED BY
Callidus
trading, spol. s r.o.

Sure Solutions
Efficiency...only better

Our legacy at SureSolutions™ stems from Deki Electronics Ltd, India's leading electronic components manufacturer. While Deki's expertise is film capacitors, we bring the same solution-oriented DNA to our part of the business.

Quality is not just a word for us and we think of ourselves as partners with our customers.

A problem, for us, is the precursor of a new way of doing things and, we understand not just technology but also how to get the most out of it.

We came about to focus on the idea of "increasing business efficiency" and we have remained true to it. From retail security when we started out, to immersive video today, we have ensured that we add value to whatever we offer.

Our manufacturing roots ensure that our solutions are built for Indian conditions. Being customer-centric means assured support. After all, we are not system integrators but solution providers.

Living up to a legacy takes some doing.

Our technical partner

Callidus
trading, spol. s r.o.

Callidus, founded in 1999 in Ostrava, Czech Republic, is one of Europe's largest manufacturers of electronic anti-theft systems.

The company's production is based on its own research and development and has many patents to its credit.

Callidus strives to keep abreast of technological evolution of the era and provides customers with independent consultancy and atypical product modifications. The company was one of the first in the world who started to develop metal and magnet detection and has the widest range of EAS product offerings - RF LF Mono, RF 8.2 MHz Mono, RF 8.2 MHz Dual, AM and RF deactivators, AM deactivators, metal and magnet detectors, detectors of AM jammers with IR people counter, RF and AM hand detectors, eCOMM communicators, etc.

THE SURETAG™ RANGE

AM/RF Deactivation Pad S1000 Desktop

Features

- Plug and play installation
- This pad allows to deactivate RF and AM labels
- For installation on the counter
- Status LEDs integrated

Compatibility

- S1000 AM/RF hybrid deactivation control unit

SPECIFICATIONS	
Mechanical	
Dimensions (mm)	2500 (W) × 250 (H) × 20 (T)
Cable Length	1400 mm
Weight	1.5 kg
Electrical	
S1000 AM/RF hybrid deactivator control unit required	
Operating Frequency	58kHz (AM)/8.2MHz (RF)
Status Indication	Green and red LED
Detection/Deactivation Distance (for DR labels)	
Detection	24 cm (AM DR label) 25 cm (40×40mm RF label)
Deactivation	16 cm (AM DR label) 25 cm (40×40mm RF label)
Environmental	
Operating Temperature	0–49°C (normal indoor use)
Relative Humidity	0 - 90%, Non-condensing

MPP 400 RF

PA 450 RF

CT 500 RF

PA 450 AM

Concealed System

PA 450 AM

CT 300 RF

IndiSure 030 AM

Concealed System

CTR 650 AM TRX

Hybrid System

IndiSure 030 AM TRX

RFID System

Concealed System

SOME CLIENTS

Sure Solutions

Efficiency...only better

B-20, Sector-58, NOIDA 201 301, UP, INDIA
Krishna Kumar +91 9560556642 • Salil TK +91 9911556562
enquiry@suresolutions.in • www.suresolutions.in